

Introducing Draper's

# FlatScreen Lift/Case Combo




**It's Safe.  
It's Rugged.  
One person can set it up in minutes.**

# DRAPER





Elapsed time:  
**0 minutes**



**Step 1: Roll the Draper FlatScreen Lift/ Case Combo into place.**



Elapsed time:  
**2 minutes**



**Step 2: Remove 4 screws, and lift off the stabilization base plate.**



Elapsed time:  
**2.25 minutes**



**Step 3. Place the base plate onto the ground.**



Elapsed time:  
**3 minutes**



**Step 4: Roll the case onto the base plate, placing wheels in the indentations.**





Elapsed time:  
**4 minutes**



**Step 5: Rotate the hinged lid to the back of the case.**



Elapsed time:  
**6 minutes**



**Step 6: Attach tie-down straps to base plate and sides of case, and plug it in.**




Elapsed time:  
**7 minutes**



**Step 7: Use the remote control to raise the flat screen display.**



Elapsed time:  
**8 minutes**



**Step 8: Attach the skirt, and it's time for the show!**



Introducing an important new product designed specifically for AV Rental Dealers:

# Draper's FlatScreen Lift/Case Combo

## ABOUT THE FLATSCREEN LIFT

- Unique, synchronous multi-stage design enables vertical extension of almost 1½ times the stored height. Fully adjustable to any position within range. Gets the display up where your audience can see it.
- Furnished complete with surge protector, RF and push button control.

## ABOUT THE CASE

- **RUGGED** – The top, bottom and stabilization plates are constructed of 18 mm birch plywood. The sides are constructed of 9 mm birch plywood. Panels are secured with steel rivets to 1" x 1" welded tubular aluminum frame. All exterior surfaces coated with Sound Guard textured chemical skin.
- Two case sizes to lift flat screen displays up to 65" diagonal.
- ATA design with all recessed latches and handles.

## SAFETY

- 4" casters rest in caster dishes on a stabilization base plate. Case is secured to plate with tie downs.
- Perfectly stable in fully extended position. Base plate attaches to case when not in use.
- Flat screen display rests on foam bed in "down" position, and is surrounded on all six sides with foam when case is closed.
- Each lift/case combo is designed specifically for your make and model of flat screen display.

## ALSO INCLUDES

- One recessed Hubble brand 120 volt power input receptacle.
- Carpeted accessories compartment.
- Accessory shelf.

***Average setup time = .13 man hours.  
Compare with your current setup time.***

## ACCESSORIES

- Locking casters.
- Black skirt.
- Built-in monitor inputs.

*Call for other custom needs.*

See a video demonstration of the setup of the Draper FlatScreen Lift/Case Combo online at:  
[www.draperinc.com/go/FSLCaseCombo.htm](http://www.draperinc.com/go/FSLCaseCombo.htm)



*Power input receptacle*



*Accessory Shelf*



# DRAPER

411 S. Pearl St., Spiceland, IN 47385 USA ■ [www.draperinc.com](http://www.draperinc.com)  
765-987-7999 ■ fax 765-987-7142  
Copyright © 2008 Draper, Inc.

Form: FlatScreen\_Lift\_Case\_Combo\_08



Contains 25% PCW  
Recycled Content

Printed in U.S.A.