

BR

S E R I E S
loudspeakers



 **YAMAHA**

Five BR models are designed to fit the budgets of performing musicians, small churches and schools while delivering the full-frequency response and high output of more costly systems. Although their "BR" prefix was chosen to represent "bass reflex," it also proves very appropriate for describing the line's advanced feature set...

Built Right...Combining our knowledge of acoustics and advanced computer controlled woodworking, Yamaha crafts the BR line of sound reinforcement loudspeakers for both great sound and affordability. High power woofers provide amazing punch, and a 1" titanium compression driver assures excellent high frequency performance. Each model's large steel handles, corner protectors and built-in pole sockets assure both durability and flexibility.

Better Response...BR cabinets are carefully designed for the best balance of small, easy to handle size and great low-frequency response, using Bass Reflex technology. High-frequency response is also enhanced with a new titanium HF driver and 90° by 40° non-resonant horn.

Best Reliability...With integral protection circuitry built into the passive crossover, you can expect a long life of high output and minimal distortion.

Whichever model you choose, your message is sure to be heard using BR-Series loudspeakers...and you can take the savings to the bank!

THE NEW BR-SERIES FROM YAMAHA COMBINES AFFORDABILITY WITH HIGH PERFORMANCE



BR10

Woofer.....	10"
Tweeter (diaphragm).....	1" Titanium
Frequency Response (-10dB).....	65Hz-20kHz
Power Handling (noise*/program/peak).....	125/250/500 * EIA RS426
Nominal Impedance.....	8 ohms
Sensitivity 1W, 1m.....	96dB
Input Connectors.....	2 x 1/4" Phone
Dimensions W x H x D.....	394 x 537 x 326 mm (14 3/4" x 21" x 12 3/4")
Weight.....	14.4 kg (31.5 lbs)



BR12

Woofer.....	12"
Tweeter (diaphragm).....	1" Titanium
Frequency Response (-10dB).....	65Hz-20kHz
Power Handling (noise*/program/peak).....	150/300/600 * EIA RS426
Nominal Impedance.....	8 ohms
Sensitivity 1W, 1m.....	97dB
Input Connectors.....	2 x 1/4" Phone
Dimensions W x H x D.....	403 x 569 x 335 mm (15 3/4" x 22 1/2" x 13 1/4")
Weight.....	16.0 kg (35.2 lbs)



BR15

Woofer.....	15"
Tweeter (diaphragm).....	1" Titanium
Frequency Response (-10dB).....	60Hz-20kHz
Power Handling (noise*/program/peak).....	200/400/800 * EIA RS426
Nominal Impedance.....	8 ohms
Sensitivity 1W, 1m.....	98dB
Input Connectors.....	2 x 1/4" Phone
Dimensions W x H x D.....	485 x 656 x 365 mm (19" x 25 3/4" x 14 1/2")
Weight.....	21.3 kg (46.9 lbs)

FEATURES



A titanium HF driver and a large, non-resonant constant-directivity 90° x 40° horn enhances high-frequency response.



All models, including the monitors, come with stand/pole sockets for flexibility of use.



Large metal handles mounted at each cabinet's center of gravity make them very easy to carry.



Steel corner protectors keep your cabinets free from dings and damage associated with frequent transport.



BR12M

Woofer.....	12"
Tweeter (diaphragm).....	1" Titanium
Frequency Response (-10dB).....	65Hz-20kHz
Power Handling (noise*/program/peak).....	150/300/600 * EIA RS426
Nominal Impedance.....	8 ohms
Sensitivity 1W, 1m.....	97dB
Input Connectors.....	2 x 1/4" Phone
Dimensions W x H x D.....	569 x 407 x 334 mm (22 1/2" x 16" x 13 1/4")
Weight.....	15.6 kg (34.3 lbs)



BR15M

Woofer.....	15"
Tweeter (diaphragm).....	1" Titanium
Frequency Response (-10dB).....	60Hz-20kHz
Power Handling (noise*/program/peak).....	200/400/800 * EIA RS426
Nominal Impedance.....	8 ohms
Sensitivity 1W, 1m.....	98dB
Input Connectors.....	2 x 1/4" Phone
Dimensions W x H x D.....	652 x 487 x 365 mm (25 3/4" x 19 1/4" x 14 1/2")
Weight.....	20.9 kg (46.0 lbs)

• Specifications and appearance subject to change without notice.
• All trademarks and registered trademarks are property of their respective owners.

Ideally matched to YAMAHA EMX series powered mixers and P series power amplifiers.

BR
S E R I E S

YAMAHA
YAMAHA CORPORATION
P.O. BOX 1, Hamamatsu Japan
<http://www.yamahaproaudio.com>