

Introducing Draper's

FlatScreen Lift/Case Combo




**It's Safe.
It's Rugged.
One person can set it up in minutes.**

DRAPER



Elapsed time:
0 minutes



Step 1: Roll the Draper FlatScreen Lift/ Case Combo into place.



Elapsed time:
2 minutes



Step 2: Remove 4 screws, and lift off the stabilization base plate.



Elapsed time:
2.25 minutes



Step 3. Place the base plate onto the ground.



Elapsed time:
3 minutes



Step 4: Roll the case onto the base plate, placing wheels in the indentations.



Elapsed time:
4 minutes



Step 5: Rotate the hinged lid to the back of the case.



Elapsed time:
6 minutes



Step 6: Attach tie-down straps to base plate and sides of case, and plug it in.




Elapsed time:
7 minutes



Step 7: Use the remote control to raise the flat screen display.



Elapsed time:
8 minutes



Step 8: Attach the skirt, and it's time for the show!

Introducing an important new product designed specifically for AV Rental Dealers:

Draper's FlatScreen Lift/Case Combo

ABOUT THE FLATSCREEN LIFT

- Unique, synchronous multi-stage design enables vertical extension of almost 2½ times the stored height. Fully adjustable to any position within range. Gets the display up where your audience can see it.
- Furnished complete with surge protector, RF and push button control.

ABOUT THE CASE

- RUGGED – The top, bottom and stabilization plates are constructed of 18 mm birch plywood. The sides are constructed of 9 mm birch plywood. Panels are secured with steel rivets to 1" x 1" welded tubular aluminum frame. All exterior surfaces coated with Sound Guard textured chemical skin.
- Two case sizes to lift flat screen displays up to 65" diagonal.
- ATA design with all recessed latches and handles.

SAFETY

- 4" casters rest in caster dishes on a stabilization base plate, and case is secured to plate with tie downs.
- Perfectly stable in fully extended position. Base plate attaches to case when not in use.
- Flat screen display rests on foam bed in "down" position, and is surrounded on all six sides with foam when case is closed.
- Each lift/case combo is designed specifically for your make and model of flat screen display.

ALSO INCLUDES

- One recessed Hubble brand 120 volt power input receptacle.
- Carpeted accessories compartment.
- Accessory shelf.

***Average setup time = .13 man hours.
Compare with your current setup time.***

ACCESSORIES

- Locking casters - \$20.00 per pair.
- Black skirt - \$70.00 (Surrounds case on three sides).

Built-in monitor inputs by quotation.

Call for other custom needs.



DRAPER

411 S. Pearl St., Spiceland, IN 47385 USA ■ www.draperinc.com
765-987-7999 ■ fax 765-987-7142
Copyright © 2008 Draper, Inc.

Form: FlatScreen_Lift_Case_Combo_08



Contains 25% PCW
Recycled Content

Printed in U.S.A.